

Etna Products Inc P.O. Box 630 Chagrin Falls Ohio 44022
Phone number: 216-543-9846

10

***** SECTION A: IDENTIFICATION AND EMERGENCY INFORMATION *****

Product name: MasterDraw
8526 (Formerly B2061)

Page 1

Chemical name:
Not Applicable (N/A)

Cas number:
N/A

Chemical family:
Industrial Metalworking Compound

Emergency telephone number:
216-543-9846

Revision date:
03/03/97

HMIS Ratings: H=1 F=1 R=0 PP=C

***** SECTION B: HAZARDOUS INGREDIENTS *****

Chemical and common name.	Cas number	TLV, LD50	%
---------------------------	------------	-----------	---

None

This product does not contain any SARA Section 313 reportable compounds.

This product does not contain any carcinogens as defined by OSHA, NTP and IARC at greater than 0.1%.

***** SECTION C: PHYSICAL & CHEMICAL CHARACTERISTICS *****

Boiling point: Unknown	Specific gravity: 1.0	Vapor pressure: Unknown
---------------------------	--------------------------	----------------------------

% Volatile (Vol.): Nil	Vapor density (Air=1): >1	Evap. Rate (NBA=1): Nil
---------------------------	------------------------------	----------------------------

Solubility in water: <0.1%	Ph (N/A): N/A	Reactivity in water: None
-------------------------------	------------------	------------------------------

Appearance Opaque tan liquid.	Odor Bubblegum odor.
----------------------------------	-------------------------

Flash point: >350F COC	Flammable limits (In air & by vol.) (Upper) Unknown (Lower) Unknown	Auto ignition: Unknown
---------------------------	--	---------------------------

Extinguisher media & special fire fighting procedures:
Use water, fog, foam, dry chemical or CO2. Do not use a direct stream of water. Product may float and can be reignited on the surface of the water. Do not enter confined fire space without proper protective equipment including a NIOSH approved self-contained breathing apparatus. Cool fire exposed surfaces.

Unusual fire and explosion hazards:
None

***** MasterDraw *****
 ***** 8526 (Formerly B2061) *****
 ***** Page_2 *****
 ***** SECTION D: PHYSICAL HAZARDS *****

Stability: Stable
 Conditions to Avoid:
 Heat and ignition sources.

Incompatibility:
 Strong oxidants.

Decomposition Products:
 Highly dependant on combustion conditions. Mixture of airborne solid, liquid, and gases will evolve upon pyrolysis or combustion of this product. CO, SO, and other organic compounds may be formed upon combustion.

Hazardous Polymerization: Will not occur

Conditions to Avoid:
 STRONG OXIDANTS-HEAT-SPARK AND OPEN FLAMES

***** SECTION E: HEALTH HAZARDS *****

Signs and Symptoms of Exposure:

Skin: Prolonged and repeated skin contact may cause irritation or skin disorders such as dermatitis or oil acne. Wash thoroughly with soap and water prior to using toilet facilities - eating drinking or smoking.

Eyes: Contact with eyes may cause temporary irritation.

Inhalation: The inhalation of vapors (generated at high temperatures only) or oil mist may cause a mild irritation of the mucous membranes of the upper respiratory tract.

Ingestion: Oral toxicity of this product has not been established. Get medical attention if swallowed.

Medical Conditions Generally Aggravated by Exposure:
 Pre-existing skin and respiratory disorders may be aggravated by exposure.

Oral LD50	Acute Toxicity Data		Inhalation LD50
	Dermal LD50		
N/E	N/E		N/E

Occupational Exposure Limits			
OSHA PEL/TWA	OSHA PEL/CEILING	ACGIH TLV/TWA	ACGIH TLV/STEL
5mg/M3	N/E	5mg/M3	10mg/M3
Base on: Above based on oil mist.			

Chronic health Data
 Chronic Health Data: None.

***** SECTION F. EMERGENCY AND FIRST AID PROCEDURES *****

Skin Contact: Remove contaminated clothing and wash with large volumes of soap and water. Get medical attention. Wash clothing before reuse.

Eye Contact: Flush with water for 15 minutes. If irritation occurs

MasterDraw
 8626 (Formerly H2U61)
 Page_3
 get medical attention.

Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention.

Ingestion: Do not induce vomiting. Get medical attention.

***** G. SPECIAL PROTECTION INFORMATION *****

Ventilation: Local Exhaust: Required only to capture vapor mist or fumes. Vapors or fumes may be irritating to eyes and respiratory system.

Mechanical (general): As required to prevent exceeding recommended exposure limits.

Protective Gloves: Use chemically resistant gloves to avoid prolonged skin contact.

Eye Protection: Use safety glasses or goggles to prevent eye contact.

Respiratory Protection: As needed to prevent overexposure to mist or fumes. Use NIOSH approved chemical mist and organic vapor respirator.

Other Protective Clothing or Equipment: Use chemically resistant apron as needed.

***** H. ENVIRONMENTAL PROTECTION/SPILL AND LEAK PROCEDURES *****

Spill or Leak: Recover free product. Add sand earth or other suitable absorbent to spill area. Minimize worker contact. Keep from sewers or waterways by diking or impounding. Advise authorities if product enters waterways or extensive land areas. Dispose of recovered material and residue in compliance with all federal, state, and local regulations.

Waste Disposal: Dispose of all waste products in accordance with all applicable federal, state, and local regulations.

Handling and Storage Precautions: Keep container closed when not in use. Do not store near heat, open flames or strong oxidants.

***** SECTION I: TRANSPORTATION REQUIREMENTS *****

DOT Shipping Regulations
 Consider this product to be non-hazardous.
 No special labeling required by DOT.

***** SECTION J: OTHER REGULATORY CONTROLS *****

All components of this product have been assigned C.A.S. numbers under the provisions of the Toxic Substance Control Act.

The information contained herein is based on the data available to us and is believed to be correct. Etna Products Inc does not warrant or guarantee their accuracy or reliability and Etna shall not be liable for any loss or damage arising out of the use thereof.

***** Page 4 *****
The information and recommendations are offered for the users consideration
and examination and it is the users responsibility to satisfy itself that
they are suitable and complete for its particular use.